

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 1 239 384 A2

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
11.09.2002 Bulletin 2002/37

(51) Int Cl.7: G06F 17/30, G06F 9/44

(21) Application number: 02251648.8

(22) Date of filing: 08.03.2002

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

- Beirne, Michael
Milwaukee, Wisconsin 53202 (US)
- Peterson, James C.
Menomonee Falls, Wisconsin 53051 (US)
- Peterson, Karen, L.
Menomonee Falls, Wisconsin 53051 (US)

(30) Priority: 09.03.2001 US 803355

(71) Applicant: PKWare, Inc.
Brown Deer, Wisconsin 53223 (US)


(74) Representative: Lawrence, John
Barker Brettell
138 Hagley Road
Edgbaston
Birmingham B16 9PW (GB)

(72) Inventors:
• Basin, Yuri
Thiensville, Wisconsin 53092 (US)

(54) System and method for manipulating and managing computer archive files

(57) A computer program for managing and manipulating archive zip files of a computer. The program includes a system and method for opening, creating, modifying, and extracting zip archive files. The program is fully integrated into Microsoft Windows Explorer and is accessed via Explorer menus, toolbars, and/or drag and

drop operations. An important feature of the program is the archive manager which may be used to open a zip file, create a new zip file, extract zip files, modify zip files, etc. The program is integrated into Microsoft Windows Explorer using the shell name space extension application program interface developed by Microsoft.



BEST AVAILABLE COPY

Description

Background of the Invention

[0001] The present invention relates to managing and manipulating computer archive files, and more particularly to a system and method for managing and manipulating zip files through a computer program integrated into Microsoft Windows Explorer.

[0002] Compression of computer files has been around for years. Compressing files can save tremendous amounts of disk space, and transfer time when downloading files from the Internet or transferring files through email. These days, almost any file one downloads from the Internet is compressed in some way. A standard compressed file or folder as it is sometimes called contains one or more files that were compressed into a single file or folder. A lot of different compression formats have been developed over the years. The zip format, created by the assignee of the present invention, is the most common compressed file format for the personal computer, but there are many others in use today. Any file with a ".zip" extension is most likely a compressed file in the zip format. Zipping a file means compressing the file into the zip format archive so that it occupies less disk space, and unzipping a file means uncompressing a compressed file in the zip format. A zip file is a file which has been compressed with PKZIP®, from PKWare, Inc., or another compatible archiver. Zip files are indicated by a ".zip" filename extension.

[0003] A computer file is compressed through the use of one or more compression algorithms. A compression algorithm is essentially a mathematical formula that scans the data in the file for compressible information. For example, compressible information may be any repeating pattern or string that can be represented once. The compression algorithm will then represent the repeated patterns in a coded manner to save space. For standard compression, most of the compression algorithms work basically the same way. Some are just more efficient or faster than others.

[0004] Generally, the contents of a compressed file cannot be accessed unless the archive is uncompressed. In order to uncompress a file, a user needs to either use the same program used to compress the file, or use another program that is compatible with the particular compression format. That meant that users were required to use standalone programs to compress and uncompress their files. The same problem occurs when trying to work with and manipulate compressed archived files. For example, a user wanting to open an existing compressed file, modify the file, or extract data from the file and transfer it to another file would have to command a standalone program to uncompress the original file and command the standalone program to compress the modified file. This process is often burdensome and inconvenient to the user. Therefore, it would be beneficial to create a product that would eliminate the need for

separate standalone compression programs, and eliminate the need to separately command a file to be uncompressed or compressed each time the file is opened, modified, or saved.

[0005] Such products have been developed by many companies, including products used in a Microsoft Windows Explorer environment. Microsoft Windows Explorer is a browser program in Windows for exploring directories, files, and folders in a computer system. In connection with Windows Explorer, Microsoft provides a shell name space extension application program interface (API) for software developers to use to integrate other software utility programs into Windows Explorer. Several companies have developed compression file manipulation programs using the Microsoft Windows Explorer interface. Some of these products include: ArjFolder by Raphael Mounier; Cab Viewer by Microsoft Corporation; CleverZip by Cleverness, Inc.; Zip Explorer Pro by Aeco Systems; Internet Neighborhood by KnowWare, Inc.; Net Explore; ZipMagic by Mijenix Corporation; and Netzip Classic by Netzip Inc. The Internet Neighborhood and Net Explore products are file transfer protocol (FTP) products which integrate FTP sites into Windows Explorer. ZipMagic and Netzip Classic are device driver products.

[0006] ZipMagic, patented under U.S. Patent No. 5,907,703, is directed to a device driver for accessing computer files. The ZipMagic patent utilizes a device driver implemented in the operating system of Windows Explorer that makes all zip files appear to be folders.

[0007] However, all of the above products are implemented differently from the present invention, and do not include many of the features of the present invention. Many of the above programs have increased performance overhead in processing (compressing/uncompressing) files continuously in and out, and it is often difficult for a user to determine if he is in a zip file or rather in a folder.

[0008] Accordingly, there is a need for a system and method for easy management and manipulation of archive files. The program of the present invention is intended for use on Microsoft Windows 9x, Me (Millennium Edition), NT 4.0, and 2000 systems. Windows 95 and NT 4.0 systems require Microsoft Internet Explorer 4.0 or greater.

Summary of the Invention

[0009] The present invention provides a software utility program that is seamlessly integrated into Microsoft Windows Explorer. The program allows users to manage and manipulate their zip archive files without leaving the Explorer environment. Users may open, archive, compress, extract, create, modify and add to their zip archive files using Windows Explorer's context and pull-down menus, toolbars, copy and paste operators, and drag and drop operators. A mail compressor attachment module integrates into Microsoft Outlook to automatical-

ly archive files sent via email. An Internet plug-in module works with Internet Explorer 4.0+ or Netscape Communicator 4.0 + to facilitate the handling of downloaded zip files from the Internet. The Internet module allows a user to view and manipulate zip archive files downloaded from the Internet.

[0010] An archive manager provides quick access to a user's zip files stored on the computer. The archive manager can create a hierarchical tree representation of a zip file which allows quick and easy management and manipulation of complex zip archives. Shortcuts may also be optionally created and/or deleted by the archive manager. Double-clicking a shortcut will open a zip file under the archive manager. File shortcuts may be created using copy and paste operators, dragging a file into the archive manager, or via the scan and add function. File shortcuts are deleted by highlighting the shortcut and selecting delete on the keyboard or Windows Explorer menu. Shortcuts may be created that branch to a zip file's contents under a specified working directory as an alternative to working within the archive manager. Archive files may be extensively modified before the actual changes are saved. As a result, system overhead is minimized, as the resources required for such operations are only needed when the archive is actually saved. An edit mode of the archive manager during archive modification illustrates graphic instruction cue icons (indicating Add and Delete states) in the far left column of the Explorer Window.

[0011] In addition to easily opening, extracting, creating and modifying archive files, the present invention also includes several miscellaneous features or functions selectable by the user. These functions include edit-before-saving, digital certificate based file authentication and encryption, selecting compression methods by file type and spanning/splitting of archive files.

[0012] In one aspect of the invention, an edit-before-saving function that is useful during creating, opening, modifying or extracting an archive file. The edit-before-saving function provides graphic instruction cue icons (indicating Add and Delete states) next to archives that have been modified. Archives may be extensively modified before the actual changes are saved. As a result, system overhead is minimized, as the resources required for compressing and uncompressing are used only when the archives are actually saved.

[0013] In another aspect of the invention, a Public Key Infrastructure (PKI) based digital signature, file authentication and encryption function adds a layer of authenticity to the zip archive files. The invention includes a X.509 based authentication and encryption function which allows a user to digitally sign and encrypt individual files archived in a zip file and subsequently authenticate and decrypt those files upon extraction. Digitally signing a zip file allows one to detect whether the integrity of a zip file has been compromised. Encrypting a file denies access to the file's contents by unauthorized users. The ability to store a PKI based digital signature using stand-

ard X.509 based certificate (e.g., VeriSign Digital ID) information is a significant enhancement to the zip archive file format. This function allows users to digitally sign an archive file and its contents using a standard X.509 based digital certificate.

[0014] This function also allows a user to digitally sign the central directory of the zip file and to encrypt file names and supplemental information such as, but not limited to, file system security descriptor information.

[0015] In a further aspect of the invention, a user may select a compression method based on the type of file being saved. The compression methods include Store, Deflate, and DCL Implode. By default, the present invention compresses all files using the Deflate algorithm. A user may choose to compress all files using the Deflate algorithm, or may optionally modify the default method of compression, as well as the method to be used on a specified file type. In addition, a user may specify to use the 64k dictionary version of the Deflate algorithm for improved compression.

[0016] The spanning function of the invention allows a user to span large zip archives over multiple removable media diskettes. The splitting function of the invention allows a user to divide an archive file into specified file segment sizes.

[0017] Various other features, objects, and advantages of the invention will be made apparent to those skilled in the art from the following detailed description and accompanying drawings.

Brief Description of the Drawings

[0018]

FIG. 1 is a diagram illustrating the software components underlying the system of the present invention;

FIGS. 2a-2e are diagrams illustrating the different compression and extraction chains used in the present invention;

FIG. 3 displays a right-click context menu of the present invention;

FIG. 4 displays a progress dialog screen of the present invention;

FIG. 5 displays a save as dialog screen of the present invention;

FIG. 6a displays a table of toolbar buttons used in the present invention;

FIG. 6b displays a table of menu items used in the present invention;

FIG. 7 displays an extract dialog screen of the

present invention;

FIG. 8 displays an add dialog screen of the present invention;

FIG. 9 displays a log dialog screen of the present invention;

FIG. 10 displays a series of selection properties dialog screens of the present invention; and

FIG. 11 displays a series of authenticity/certificate dialog screens of the present invention.

Detailed Description of the Invention

[0019] FIG. 1 is a diagram illustrating the software components underlying the system 10 of the present invention. There are three basic components of the underlying software. These components are the user interface (UI) 20, the file management (FM) component 30, and the compression/extraction engine (CE) 40.

[0020] The lowest level component is the compression/extraction engine 40. The compression/extraction component 40 consists of the actual compression, extraction, and CRC-32 algorithms in converter, reader, writer components 42, 44, 46, 48 interfacing with data object and archive files 34, 36 in the file management component 30. The compression, extraction and CRC-32 algorithms are written as a set of portable C language routines, with higher level C++ routines interfacing with the higher level file management component 30. The file management component 30 consists of the central directory 32 which holds a cached tree-like structure of the archive independent of the actual archive type. Actual archive implementation is used by the central directory 22 to read/write data to the archives 34 and the user interface 20. The central directory 32 consists of folder objects and file objects 36. A services object 38 is also part of the file management component 30. The services object 38 acts as a helper interface between the user interface component 20 and the file management component 30. The user interface 20 consists of a shell 22, a graphical user interface (GUI) 24, and a call level interface (CLI) 26.

[0021] The data object 36 supports one or more standard file formats (Explorer or File Manager drag and drop), and one or more custom formats (zip compressed non-encrypted and zip compressed). When files are dropped from Explorer to the archive, the archive requests available standard data formats to compress the data. When files are dropped from archive to Explorer, Explorer requests available standard data formats. In this instance, the data object will need to uncompress the data. When files are dropped from one zip archive to another zip archive, the target archive will be able to detect the native data and copy it without modification. When files are dropped from an ARJ archive to a zip

archive, the zip archive will be able to recognize only standard formats, as a result, the ARJ data object will uncompress the data and the zip archive will compress the data. So it is possible to convert data between different archives.

[0022] FIGS. 2a-2e illustrate the different compression and extraction used by the present invention. In FIG. 2a, regular compression and extraction chains 50 are shown. These chains 50 include chains for compression 52, extraction 54, compression with encryption 56, and extraction with decryption 58. In FIG. 2b, compression data chains 60 are shown, including the use of a generic converter involving no compression for as is files 62 and encrypted files 64. These compression data chains 60 further include chains for compressed files 66 and compressed encrypted files 68. In FIG. 2c, data here compression chains 70 are shown. These compress data here chains 70 include chains for as is files 72, encrypted files 74, compressed files 76 and compressed encrypted files 78. In FIG. 2d, GetData extraction chains 80 for as is files 82, not encrypted files 84, uncompressed files 86 and decrypted uncompressed files 88 are shown. In FIG. 2e, GetDataHere extraction chains 90 for as is files 92, not encrypted files 94, uncompressed files 96 and decrypted uncompressed files 98 are shown.

[0023] The compression/extraction engine 40 and the file management component 30 form the data compression library that is used to build applications, such as the present invention, needing zip compatible compression and file management.

[0024] The present invention provides a software utility program that is integrated into Microsoft Windows Explorer for managing and manipulating archive files without leaving the Explorer environment. The invention includes an archive manager which allows a user to open, view, modify (add/delete), and extract data from an existing archive, or create a new archive using modified Windows Explorer right-click context menus, pull-down menus, toolbars, copy and paste operators, or drag and drop operators.

[0025] FIG. 3 displays a right-click context menu 100 of the present invention which may be used to open, modify and extract files from an existing zip file, or create a new zip file. In opening a zip file, a user may simply double-click the file to view the contents of the file. Alternatively, the following is an example of the steps one might follow to open and view the contents of a zip file. First, the zip archive to be opened is located by using Windows Explorer. Then, the user right-clicks on the zip file he/she wants to open. A context menu appears. PKZIPI Explore is selected. The contents of the zip file will be displayed in the right pane under the archive manager. As another alternative, a user may select PKZIPI Explore PKZIP Folder to create a folder shortcut under the current folder, and display the contents of the zip file via this folder.

[0026] To extract individual files and/or folders ar-

chived in a zip file, a user opens the zip file in Explorer as discussed above and invokes the Extract dialog 110, by selecting the PKZIP I Extract menu item in the right-click context menu. The Extract dialog 110 appears, FIG. 7, allowing the user to manually specify a destination directory. Alternatively, a user may select PKZIP I Extract Here to extract the contents of the archive into the directory where the zip archive resides. To create a directory (e.g., "Test") under the directory where the zip archive resides, and extract all files in that directory, the user selects the PKZIP I Extract-To menu item. Alternatively, files may be extracted using a drag and drop operation. The user highlights the files and/or folders he/she wishes to extract, drags the files to a destination, and drops the files in the enabled destination. The files and/or folders will be automatically extracted into the drop destination. As the extraction process proceeds, the progress is displayed in a progress dialog 102, as shown in FIG. 4. If there is an error encountered during the extraction process, the error is indicated in the progress dialog 102 and a Log dialog 104, shown in FIG. 9.

[0027] The present invention also allows a user to create a new zip file. The following is an example of the steps one might follow to create a new zip file. First, the user highlights the files and/or folders he wishes to archive. The user then clicks his right mouse button to bring up the context menu. PKZIP I Compress is then selected. The Save As dialog 104 appears, FIG. 5. A name and destination are specified for the zip file, and the Save button is clicked to proceed. The progress dialog 102 appears to monitor completion and to indicate errors in the process. The new zip file should now reside in the specified destination directory. A user may alternatively create a new zip file by other means as well. A user may create a new folder in an archive by selecting the New Folder menu toolbar item and specifying a folder name as desired.

[0028] Adding and/or deleting files in a zip file works somewhat differently than these same operations do in Explorer. For example, in Explorer, when a user highlights a file and clicks the delete key, that file is immediately deleted. The present invention includes an edit-before-saving function, so that when a user highlights a file and clicks the delete key, a graphic instruction cue icon is displayed directly to the left of the file icon, indicating that this file is to be deleted. Similarly, when a file is added to an archive, the program will display an add icon directly to the left of the file icon indicating that this file is to be added. In other words, a zip file is not actually modified until the user specifically instructs the program to save the zip file.

[0029] The following is an example of the steps one might follow to modify an existing zip file. A user first locates and opens the zip file he/she wishes to modify. Next, the files and/or folders to add to the archive are specified by clicking the Add toolbar button, thereby invoking the Add dialog 112, illustrated in FIG. 8, or by

dragging the files and/or folders from their source and dropping them at a destination. A user may alternately use the copy and paste operation to specify files and/or folders to add to the archive. The program will display an add icon (such as plus symbol) indicating that these files and/or folders are to be added when the archive is saved.

[0030] In a similar manner, a user may specify files and/or folders to delete in the archive by highlighting the files the user wishes to delete, and clicking the delete key, or by selecting the Delete menu item. The program will display a Delete icon (such as a circle with a slash through it) indicating that these files and/or folders are to be deleted when the archive is saved.

[0031] After the user is finished modifying the zip file, the file may be saved by selecting the Save menu item available under the File menu, or by use of the right-click context menu. A user may also click the Save button on the toolbar. To save the modifications to another zip file, select the Save As or Save Copy As menu items.

[0032] FIGS. 6a and 6b display modifications and additions to the Explorer toolbar buttons 106 and menu items 108 used in the present invention.

[0033] The present invention may also include many options which may be configured in the options tab dialog accessible via the menu/tool bar or via the right-click context menu. One option is the compression method. Under this option, a user may specify a compression algorithm other than the default algorithm. The compression algorithms to choose from may include Store, DCL Implode, and Deflate. By default, all files are compressed using the Deflate algorithm. As one example, a user may wish to use the Store feature for all JPEG files, since the compression ratios on files of this type are typically negligible. A user may specify a default method or extension specific method under the extension column. Depending on the compression method specified, a user may wish to configure one or more of the storage parameters, as described below.

[0034] There are no available settings for the store method. The program simply archives the specified files without compression. Since the program does not expend time compressing files, this is the fastest method of archival.

[0035] Under the DCL Implode method of compression, the dictionary byte size (i.e., 1024, 2048, 4096) a user wishes to use when compressing files is configurable along with the data type. The binary setting should be selected to optimize compression of program files or other non-text files. The ASCII setting should be selected to optimize compression of text files.

[0036] Most zip utilities use the Deflate algorithm to compress files. Under this algorithm, the compression level may be set using a slide bar to specify the level of compression you wish to apply when archiving files. Moving the slide bar all the way left instructs the program to use the fastest method of compression. Moving the slide bar right increases the time the program expends

compressing the file which, as a result, improves compression. Moving the slide bar all the way right instructs the program to apply maximum compression to files. This is the slowest method of file archival because the program must expend time maximizing compression on the files. Typically, applying maximum compression results in the smallest zip file.

[0037] In addition, the dictionary kilobyte size may be selected when using the Deflate algorithm. The dictionary size is selectable between a 32K dictionary and a 64K dictionary. The 64K dictionary provides slightly better compression ratios, but may not be compatible with all zip utilities.

[0038] The present invention also allows the user to digitally sign and encrypt the individual files archived in a zip file as well as the central end directory, and subsequently to authenticate and decrypt those files upon extraction. The signing and encrypting functionality is based on PKCS No. 7, and related public key encryption standards and is therefore compatible with security functionality in other applications such as Microsoft's Internet Explorer. Signing a zip file allows one to detect whether a zip file's integrity has been compromised. Encrypting a file denies access to the file's contents by unauthorized users. These features are illustrated in the ZIP Components Properties and Digital ID Properties dialog screens 118 as shown in FIG. 11.

[0039] FIG. 10 illustrates the Selection Properties dialog screens 116 used in accordance with the software program of the present invention.

[0040] Before a user can sign or encrypt files, he must first have a digital certificate with which to sign or encrypt. A digital certificate may be obtained from VeriSign or Thawte or from another certificate authority.

[0041] The present invention also provides a software utility program that integrates the compression/extraction engine into Microsoft Outlook to compress, encrypt and authenticate email attachments without leaving the Outlook environment. The invention includes a toolbar button and a tooltray menu that allows turning the compression of email attachments on or off. The compression of email attachments reduces the storage and transfer time of email messages and can reduce the spread of common email attachment viruses.

[0042] The system of the present invention may further include a more generally applicable mail attachment compressor module. Most email programs support sending file attachments along with the main body of the email message. Most users can choose to send the attached file as it originally exists, or compress it prior to attachment to the mail message so it is smaller and more efficient to send and store. Currently, the file to be attached must be manually compressed outside the email program and then attached using the attachment features of the email program. The mail attachment compressor module of the present invention integrates compression into the standard Microsoft Outlook mail message edit form so compressing attachments can be

done automatically as the message is sent. The mail attachment compressor module also provides the ability to digitally sign attachments as they are sent for greater security.

[0043] After installing the program of the present invention, the mail form of Microsoft Outlook will have two additional buttons in its "standard" toolbar. These buttons include a Toggle Compression button and an Options button. If the Toggle Compression button is not depressed (the default state), all mail attachments will be compressed automatically when the standard "send" button is used to send the message. Attachments already compressed when attached will be left as is, while attachments that are not compressed will be compressed into a single .ZIP file that will replace the original uncompressed attachments. When the Toggle Compression button is depressed, the compression will not be done and the files will be sent as attached. The Options button will display the Options configuration dialogs from the compression/extraction engine so that the compression actions can be configured. The primary use of this button is to configure digital certificates, but any configurable parameters supported by the compression/extraction engine can be set. These parameters include digital certificates, passwords and compression method options.

[0044] Operation of the mail attachment compressor program is initiated by installing the mail attachment compressor module software onto the users system, and initiating Microsoft Outlook. If the mail attachment compression feature is enabled through the toggle button, the attachments will automatically be compressed when the message is sent using the send button. If the mail attachment compression feature is not enabled, then the attachments will be sent unaltered.

[0045] The components of the mail attachment compressor module provide the functionality to be implemented within Microsoft Outlook and provide integration between this module and the underlying compression/extraction engine. When compressing an attachment, the files to be compressed will be passed off to the compression/extraction engine of the underlying software program. After compression, the compressed file will be reattached to the original message, the original copies of the attachments that are now compressed will be removed from the message, and any temporary files created during compression will be deleted.

[0046] The mail attachments module uses the compression/extraction engine to hook directly into Microsoft Outlook to allow users to compress email attachments into zip files. This module provides an automation hook so that email attachments appended to Outlook mail messages can be automatically compressed when the message is sent.

[0047] The Scan and Add dialog of the archive manager is invoked via the Scan and Add toolbar button or the Explorer File/right-click menu. Once the user is finished specifying files to add to the archive manager list,

the user clicks OK to add the selected file shortcuts to his list and return to Explorer, or he clicks Apply to add the selected files and remain in the Scan and Add dialog. The options available via this dialog include Files and Folders, multiple selection scan, and Scan and Add form. The archive manager allows the user to add unopened archives to the archive manager list, and to add multiple files using the multiple selection scan option under the archive manager.

[0048] While the invention has been described with reference to preferred embodiments, those skilled in the art will appreciate that certain substitutions, alterations and omissions may be made without departing from the spirit of the invention. Accordingly, the foregoing description is meant to be exemplary only, and should not limit the scope of the invention set forth in the following claims.

Claims

1. A system for managing and manipulating computer archive files comprising:

a user interface integrated with Microsoft Windows Explorer interfacing to a central directory; an file manager including the central directory interfacing with archive files and data object files; a compression/extraction engine interfacing with the file manager for compressing, extracting, encrypting and decrypting archive files and data object files.

2. The system of claim 1 wherein the user interface includes a shell, a graphical user interface and a call level interface.

3. The system of claim 1 wherein the file manager includes the central directory which holds the archived files.

4. The system of claim 1 wherein the compression/extraction engine includes compression and extraction algorithms.

5. The system of claim 1 wherein the user interface, file manager and compression/extraction engine are integrated into Microsoft Windows Explorer.

6. The system of claim 1 further comprising a mail attachment compressor module for automatically compressing email attachments.

7. The system of claim 6 wherein the mail attachment compressor module is implemented within Microsoft Outlook and integrated with the compression/extraction engine.

8. The system of claim 7 wherein the mail attachment compressor module integrates compression into the standard Microsoft Outlook mail message edit form.

9. The system of claim 7 wherein the mail attachment compressor module provides the ability to digitally sign attachments as they are sent.

10. The system of claim 7 wherein the mail attachment compressor module adds a Toggle Compression button and an Options button to Microsoft Outlook's standard toolbar.

11. The system of claim 10 wherein the Options button includes parameters for configuration of digital certificates, passwords and compression method options.

12. A method of managing and manipulating computer archive files, the method comprising the steps of:

integrating a software utility program into Microsoft Windows Explorer; and accessing the software utility program to manage and manipulate compressed archive files stored in computer memory.

13. The method of claim 12 wherein managing archive files includes opening and viewing the contents of the archive files.

14. The method of claim 12 wherein manipulating archive files includes creating a new archive file.

15. The method of claim 12 wherein manipulating archive files includes modifying an existing archive file.

16. The method of claim 12 wherein manipulating archive files includes extracting archive files.

17. The method of claim 12 wherein manipulating archive files includes encrypting archive files.

18. The method of claim 12 further comprising the steps of: installing a mail attachment compression module onto a user's computer; initiating Microsoft Outlook; and enabling the mail attachment feature.

19. A system arranged to manage and manipulate computer archive files comprising:

a user interface means integrated with a file managing means interfaced to a central directory held on a storage device; said file managing means interfaced to the central directory interfaced with archive files and

data object files;
a compression/extraction engine interfaced
with the file managing means and arranged to
perform one or more of the following on the ar-
chive files and data object files: compressing, 5
extracting, encrypting and decrypting.

20. The system of claim 19 in which the file managing
means is Microsoft Windows Explorer. 10
21. The system of claim 19 or 20 wherein the user in-
terface includes a shell, a graphical user interface
and a call level interface.
22. The system of any of claims 19 to 21 wherein the 15
file managing means includes the central directory
which holds the archived files.
23. The system of any of claims 19 to 22 wherein the 20
compression/extraction engine includes compres-
sion and extraction algorithms.
24. The system of any of claims 19 to 23 wherein the 25
compression/extraction engine is integrated into file
managing means.
25. The system of any of claims 19 to 24 further com-
prising a mail attachment compressor module for
compressing email attachments. 30
26. The system of claim 25 wherein the mail attachment
compressor module is arranged to be implemented
within Microsoft Outlook and further arranged to be
integrated with the compression/extraction engine. 35
27. The system of claim 26 wherein the mail attachment
compressor module is arranged to integrate com-
pression into the standard Microsoft Outlook mail
message edit form. 40
28. The system of claim 26 or 27 wherein the mail at-
tachment compressor module is arranged to allow
attachments to be digitally signed as they are sent.
29. The system of any of claims 26 to 28 wherein the 45
mail attachment compressor module is arranged to
provide a Toggle Compression button and/or an Op-
tions button to Microsoft Outlook's standard toolbar.
30. The system of claim 29 wherein the Options button 50
includes parameters for configuration of digital cer-
tificates, passwords and compression method op-
tions.

55





Fig. 2a
Regular Compression/Extraction Chains



60
 Fig. 2b
 Compress Data Chains




FIG. 2C
Compress Data Here Chains




FIG. 2d
IDataObject::GetData Extraction Chains





FIG. 2e
IDataObject::GetDataHere Extraction Chains






FIG. 3




FIG. 4




FIG. 5

106







Button:	Description:
	Save the contents of the .ZIP file.
	Extract file(s) via the Extract dialog.
	Add file(s) via the Add dialog.
	Display Log file. Green color indicates that previous PKZIP Explorer operation completed without errors.
	Display Log file. Red color indicates that errors were encountered during the previous PKZIP Explorer operation.
	Invoke the Options/Properties tab dialog where you may specify several PKZIP Explorer configuration parameters.

FIG. 6a

108

Item (Menu):	Description:
Test (File)	Test the contents of the .ZIP file.
Extract (File)	Extract file(s) via the Extract dialog.
Add (File)	Add file(s) via the Extract dialog.
Save (File)	Save the contents of the .ZIP file.
Save As (File)	Save the contents of the .ZIP file to another file and open that file in PKZIP Explorer.
Save Copy As (File)	Save the contents of the .ZIP file to another file but remain in the current PKZIP Explorer window.
Columns (View)	Specify which information columns (e.g. CRC32) you want PKZIP Explorer to display in the right pane.
Show Log (View)	Invoke the Log dialog.
PKZIP Options (View)	Invoke the Options/Properties tab dialog where you may specify several PKZIP Explorer configuration parameters.

FIG. 6b




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

This Page Blank (uspto)

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 239 384 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
19.05.2004 Bulletin 2004/21

(51) Int Cl.7: **G06F 17/30, G06F 9/44**

(43) Date of publication A2:
11.09.2002 Bulletin 2002/37

(21) Application number: **02251648.8**

(22) Date of filing: **08.03.2002**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

- **Beirne, Michael**
Milwaukee, Wisconsin 53202 (US)
- **Peterson, James C.**
Menomonee Falls, Wisconsin 53051 (US)
- **Peterson, Karen, L.**
Menomonee Falls, Wisconsin 53051 (US)

(30) Priority: **09.03.2001 US 803355**

(71) Applicant: **PKWare, Inc.**
Brown Deer, Wisconsin 53223 (US)


(74) Representative: **Lawrence, John**
Barker Brettell
138 Hagley Road
Edgbaston
Birmingham B16 9PW (GB)

(72) Inventors:
• **Basin, Yuri**
Thiensville, Wisconsin 53092 (US)

(54) **System and method for manipulating and managing computer archive files**

(57) A computer program for managing and manipulating archive zip files of a computer. The program includes a system and method for opening, creating, modifying, and extracting zip archive files. The program is fully integrated into Microsoft Windows Explorer and is accessed via Explorer menus, toolbars, and/or drag and

drop operations. An important feature of the program is the archive manager which may be used to open a zip file, create a new zip file, extract zip files, modify zip files, etc. The program is integrated into Microsoft Windows Explorer using the shell name space extension application program interface developed by Microsoft.





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 1648

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	<p>"WINZIP"</p> <p>ANNOUNCEMENT NICO MAK COMPUTING, XX, XX, 1995, pages 1-106, XP002908148</p> <p>* page 19, line 1 - page 19, line 40 *</p> <p>* page 40, line 1 - page 40, line 14 *</p> <p>* page 44, line 1 - page 44, line 30 *</p> <p>* page 63, line 1 - page 64, line 43 *</p> <p>* page 68, line 1 - page 68, line 22 *</p> <p>* page 87, line 1 - page 88, line 15 *</p> <p>* page 90, line 1 - page 90, line 10 *</p> <p>* page 100, line 1 - page 100, line 9 *</p>	1-30	G06F17/30G06F9/4 4 G06F17/30
X	<p>CAMPBELL D: "EXTENDING THE WINDOWS EXPLORER WITH NAME SPACE EXTENSIONS" MICROSOFT SYSTEMS JOURNAL, MICROSOFT CO., REDMOND, WA, US, vol. 5, no. 6, July 1996 (1996-07), pages 89-96, XP000874429 ISSN: 0889-9932</p> <p>* page 89, left-hand column, line 1 - page 89, right-hand column, line 6 *</p> <p>* page 91, left-hand column, line 50 - page 92, left-hand column, line 52 *</p> <p>* page 94, right-hand column, line 17 - page 95, left-hand column, line 20 *</p>	1-5, 12-17, 19-24	<p>TECHNICAL FIELDS SEARCHED (Int.Cl.7)</p> <p>G06F</p>
A	<p>CEVENINI G ET AL: "A multiprovider, universal, E-mail service for the secure exchange of legally-binding multimedia documents" CONFERENCE PROCEEDINGS ARTICLE, 2000, pages 47-50, XP010515038</p> <p>* page 49, left-hand column, line 37 - page 49, right-hand column, line 30 *</p> <p>* page 50, left-hand column, line 4 - page 50, right-hand column, line 7 *</p>	1,6-9, 12,19, 25-28	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 25 March 2004	Examiner Boyadzhiev, Y
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>& : member of the same patent family, corresponding document</p>			

EPO FORM 1503 (3.82 (P04C01))

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK COPY (USPTO)

THIS PAGE BLANK (USPTO)